

Specification(Solar Panel)

Power			
Peak Power:	100W±5%	Cell Type:	Monocrystalline Silicon
Cell Efficiency:	22%±1%	Peak Voltage:	19.8V±5%
Peak Current:	5.05A±5%	Lamination:	ETFE
Output			
MC4		Туре-С:	PD3.0 5V/9V/12V/15V (3.0A)
DC 5521:	Max 6A	USB 1:	Max 18W (5V/3A, 9V/2A, 12V/1.5A)
		USB 2:	Max 15W (5V/3A)
General			
Operating Temperature:	-20°C to 75°C	Dimensions (Unfolded):	64.6 x 16.5 x 0.16 in (164 x 42 x 0.4 cm)
Weight:	8.8 lb (4kg)	Dimensions (folded):	18.5 x 21.3 x 0.8 in (47 x 54 x 2 cm)
Warranty	24 Months	Accessories:	1 x 3 ft 16AWG Dual DC 5521 Cable, 10-pc DC 5521 Adaptors



^{*}If you have any confusion or questions, please don't hesitate to reach out to the Pion Power support team at support@pionpower.ca.

PION POWER

ONTARIO, CANADA

Address: 3761 Victoria Park Ave #9, Scarborough, ON M1W 3S2

Phone: +1 (416) 756-9210

Email: support@pionpower.ca

http://www.pionpower.ca